

# DATASCOOUT™ 10G

THE INTELLIGENT TABLET THAT GOES BEYOND TEST & MEASUREMENT



**METRO ETHERNET, BUSINESS SERVICES  
MOBILE BACKHUAL, UTILITY & SMART GRID**

USA PHONE 800.435.0786  
FAX 800.451.2632

CANADA PHONE 866.384.8813  
FAX 800.524.2853

INT'L PHONE +1.815.397.7070  
FAX +1.815.397.9247



**GREENLEE®**  
COMMUNICATIONS

# SIMPLIFY PROVISIONING & ASSURANCE

## FASTER TIME TO RESULTS

- Ready to test 3X faster\*
- Unique 10G Ethernet to TIMS solution
- Test multiple services simultaneously
- Remotely updateable

## SIMPLE TO USE, FAST TO LEARN

- Touch screen Android tablet design
- Portrait and landscape modes
- Intuitive test configuration
- Exportable results

## RUGGED & RELIABLE

- Plug & stay - No modules to lose!
- Replaces up to 8 handhelds\*
- Light yet sturdy aluminum housing
- Protective non-slip boot with kickstand

## DESIGNED FOR:

- Service Providers
- Utilities
- Mobility
- Enterprise

*\*As compared to competitive network analyzer models.  
Subject to change without notice*



### (1) PRODUCTIVITY APPLICATIONS

- Chrome web browser
- Google maps
- Email, notes & contacts
- PDF viewer
- Onboard training video's
- Remote control/upload via LAN

### (2) 802.11 WIRELESS VALIDATION

- Tests for proper 802.11 b,g,n configuration
- Performs channel scan
- Graphical frequency/channel/power display
- Remote control via Wi-Fi

### (3) BUSINESS ETHERNET & METRO-E SERVICES


- Dual 10/100/1000T/X SFP Ethernet ports
- 10 Gigabit Ethernet SFP+
- BERT
- Optical power measurement
- PING & Traceroute
- RFC-2544 with quick test validation
- Loopback, monitor and thru modes
- Easy to read graphical reports

### (4) DS3

- Automatic self test on connection
- STS-1 signal detection
- Simultaneously test Dual T1 and DS3

### (5) DS1

- Dual T1/E1 testing
- PRI-ISDN NT/TE emulation
- T1 to Ethernet Bridging
- DSO Voice & Data Testing
- CSU/NIU Emulation Mode
- VT100 emulation
- Frame Relay option



# INCREASED PRODUCTIVITY & EFFICIENCY



## (6) SIGNALING – TIMS/DSO

- Comprehensive VF test suite
- TIMS 2/4 wire plus wideband
- CO/PBX emulation
- Replaces existing Am5, CXR-704, HP4935A

## (7) 4 WIRE DDS

- CSU/DSU emulation
- 56K primary/secondary modes
- 64K clear channel mode
- Real-time received byte display
- Monitor received signal level

## (8) DATACOM

- Sync/Async & DTE/DCE modes
- V.35, RS232, RS449, RS530, X2

## (9) INTELLIGENT TIMING VERIFICATION

- Verifies network timing systems
- Combines oscilloscope, T1 test and switch box
- Composite clock/pulse analysis
- Eliminates need for expensive storage oscilloscope
- Test 10 T1/E1 circuits in seconds

FOR PRODUCT VIDEOS, DEMONSTRATIONS  
AND MORE, SCAN THIS QR CODE OR VISIT:

[www.youtube.com/GreenleeDEMO](http://www.youtube.com/GreenleeDEMO)



# DATASCOUT™ 10G

THE INTELLIGENT TABLET THAT GOES BEYOND TEST & MEASUREMENT

## CONFIGURATION OPTIONS

CAT NO.	DESCRIPTION
<b>DATASCOUT 10G TEST KIT</b>	
DS10G-M1	DATASCOUT DS10G MULTI-SERVICE NETWORK ANALYZER KIT
DS10G-HW-B1	BASE CONTROLLER WITHOUT DATACOM
DS10G-HW-B2	BASE CONTROLLER WITH DATACOM
<b>TEST INTERFACE OPTIONS</b>	
DS10-HW-WIFI	802.11 B/G/N TEST & REMOTE CONTROL
DS10-HW-ETH	DUAL PORT GIGE T/X SFP & 10GBE SFP+
DS10-HW-PDH1	DUAL PORT T1/E1
DS10-HW-PDH2	DS3 & DUAL PORT T1/E1
DS10-HW-P	ISDN-PRI
DS10-HW-DDS	DDS
DS10-HW-T	TRANSMISSION IMPAIRMENT MEASUREMENT SYSTEM (TIMS)
DS10-HW-RITS	INTELLIGENT T1/E1 NETWORK TIMING & ANALYSIS

CAT NO.	DESCRIPTION
<b>TEST FEATURE OPTIONS</b>	
DS10G-SW-2G	DUAL PORT 10/100/1000BASE-T/X L2 ETHERNET
DS10G-SW-10	10GBE SFP+ ETHERNET
DST-SW-DT1	DUAL PORT T1/E1
DST-SW-N1	T1 CSU/NIU EMULATION
DST-SW-V	DS0 VOICE ANALYSIS
DST-SW-E	EURO/ASIAN ISDN-PRI PROTOCOL SUPPORT
DST-SW-X	DROP & INSERT BYPASS
DST-SW-DCOM	DATACOM INCLUDES V.35, RS232, RS449, RS530 DTE/DCE INTERFACES
DST-SW-E1	E1 ON-THE-FLY T1/E1 UTILIZING SAME INTERFACE
DST-SW-H3	DS3 THRU-MODE
DST-SW-D1D	DS1 DROP FROM DS3 SIGNAL
DST-SW-NX	DS3 CSU/NIU EMULATION AND LOOPBACK RESPONSE ANALYSIS
DST-SW-PRO4	4-BUTTON FREQUENCY PROGRAM
DST-SW-4	4-WIRE 100/135Ω INTERFACE EXTENDED TEST RANGE TO 20KHZ TO 2.0MHZ
DST-SW-EM	E&M TYPE I-V SIGNALING, TRUNK, PBX TIE LINE TESTING
DST-SW-DG	MEASUREMENT OF DROPOUTS, GAIN/PHASE HITS, AMPLITUDE AND PHASE JITTER
DST-SW-TON	TRANSMIT OF WARBLE ID-TONE ON SINGLE PORT
DST-SW-DVM	DIGITAL VOLT METER
DST-SW-SSM	SYNCH STATUS MESSAGE DECODE ON T1/E1 SIGNALS
DS10-SW-RC	REMOTE CONTROL VIA 10/100BASE-T MANAGEMENT LAN PORT OR RS232



[www.greenlee.com](http://www.greenlee.com) MA6296 09/14

1390 Aspen Way • Vista, CA 92081 • USA • 800-642-2155

©2014 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA

Greenlee Textron Inc. is a subsidiary of Textron Inc.

